MA 113 Calculus I Spring 2014 Exam 1 Tuesday, 11 February 2014

Name: \_\_\_\_\_

Section: \_\_\_\_\_

# Last 4 digits of student ID #: \_\_\_\_\_

This exam has ten multiple choice questions (five points each) and five free response questions (ten points each). Additional blank sheets are available if necessary for scratch work. No books or notes may be used. Turn off your cell phones and do not wear ear-plugs during the exam. You may use a calculator, but not one which has symbolic manipulation capabilities.

# On the multiple choice problems:

- Select your answer by placing an X in the appropriate square of the multiple choice answer box on the front page of the exam.
- Carefully check your answers. No credit will be given for answers other than those indicated on the *multiple choice answer* box.

# On the free response problems:

- Clearly indicate your answer and the reasoning used to arrive at that answer (unsupported answers may not receive credit),
- Give exact answers, rather than decimal approximations to the answer (unless otherwise stated).

Each free response question is followed by space to write your answer. Please write your solutions neatly in the space below the question.

## Multiple Choice Answers

Question					
1	A	В	С	D	Е
2	A	В	С	D	Е
3	A	В	С	D	Е
4	A	В	С	D	Е
5	A	В	С	D	Е
6	A	В	С	D	Е
7	A	В	С	D	Е
8	A	В	С	D	Е
9	A	В	С	D	Е
10	A	В	С	D	Е

## Exam Scores

Question	Score	Total
MC		50
11		10
12		10
13		10
14		10
15		10
Total		100

- Let f(x) = √x 1 and g(x) = x<sup>2</sup>. Find the domain of the composite function (f ∘ g) = f(g(x)).
   (A) [-1,1]
  - (B)  $\mathbb{R} = (-\infty, \infty)$
  - (C)  $(-\infty, -1] \cup [1, \infty)$
  - (D)  $[1, \infty)$
  - (E) (-1,1)

- 2. Find the equation of the line parallel to y = 5x 2 passing through the point (-1, 1).
  - (A) y = -5x 2
  - (B) y = 5x 1
  - (C)  $y = -\frac{1}{5}x 4$
  - (D)  $y = \frac{1}{5}x 2$
  - (E) y = 5x + 6

3. Find the limit

$$\lim_{x \to a} \frac{x^2 + (1-a)x - a}{x - a}.$$

- (A) 0(B) 2(C) a
- (D) a + 1
- (E) 1 a

4. Solve for x when  $e^{4(t+x)} = 2e^{4t}$ .

(A) 
$$x = \ln 4$$
  
(B)  $x = \ln 2$   
(C)  $x = 2$   
(D)  $x = 4$   
(E)  $x = \frac{\ln 2}{4}$ 

- 5. Simplify  $\sin(\arccos(x))$ . The function  $\arccos$  is also denoted by  $\cos^{-1}$ .
  - (A)  $\pi$
  - (B)  $\sqrt{1-x^2}$
  - (C) x
  - (D) 0
  - (E)  $\frac{1}{x}$

6. Suppose that a function f is defined by

$$f(x) = \begin{cases} x^2 - c & x \le 1\\ cx + 2 & x > 1 \end{cases}$$

Find c such that  $\lim_{x \to 1} f(x)$  exists.

- (A)  $-\frac{1}{2}$
- (B) 4
- (C) 0
- (D) -2
- (E) There is not enough information to answer this question.

7. Suppose that f is a function defined for every real number and satisfies the following properties:

$$\lim_{x \to 2} f(x) = 1, \quad f(2) = 1, \quad \lim_{x \to 3^-} f(x) = 0, \quad \lim_{x \to 3^+} f(x) = -2, \quad \text{and} \quad f(3) = 0.$$

Which of the following statements is NOT true?

- (A) f is continuous at x = 2
- (B) f is left-continuous at x = 3
- (C)  $\lim_{x \to 3} f(x) = 0$
- (D)  $\lim_{x \to 2^+} f(x) = 1$
- (E)  $\lim_{x \to 2^+} f(x) = \lim_{x \to 2^-} f(x)$

- 8. Let  $f(x) = e^{x^2}$ . Find the slope of the secant line that passes through (0, f(0)) and (2, f(2)).
  - (A)  $\frac{1}{2}(e^4 1)$
  - (B)  $1 e^4$
  - (C) 1
  - (D) -3
  - (E)  $\ln 4$

9. Find the limit

$$\lim_{x \to 0} \frac{\sin 2x}{x}.$$

- (A) 0
- (B) The limit does not exist.
- (C) 2
- (D)  $\frac{1}{2}$
- (E) 1

- 10. A rectangle has width w and length  $\ell$  in meters. If the perimeter of the rectangle is fixed at 14 meters, find the function that describes the area of the rectangle as a function of w.
  - (A)  $7w w^2$
  - (B) 14w
  - (C)  $w^4$
  - (D)  $14\ell$
  - (E)  $14w 2w^2$

11. For each limit below, find the limit if it exists or explain why it does not exist. Carefully justify your answers.

(a) 
$$\lim_{x \to 0} \frac{\ln(1-x)}{1+x}$$
  
(b)  $\lim_{t \to 1} \left( \frac{1}{t-1} - \frac{1}{t^2 - 3t + 2} \right)$ 

- 12. (a) State the squeeze theorem.
  - (b) Evaluate the following limit. Justify your work.

$$\lim_{x \to 0} x^2 \sin(\frac{\pi}{x})$$

- 13. An object is thrown straight into the air from the surface of a distant planet. The height of the object in meters after t seconds is given by  $h(t) = 4t t^2$ .
  - (a) Find the average velocity of the object over the time interval [1.4, 1.6]. Include units in your answer.
  - (b) Find the average velocity of the object over the time interval [3, 3 + k]. Include units in your answer.
  - (c) Compute the instantaneous velocity of the object at t = 3 by taking the limit as k tends to 0 of the expression found in part (b). Use limit laws to justify your answer.

14. Let  $f(x) = \frac{4x-1}{2x+3}$ . Find the inverse function  $f^{-1}$  and the domain and range of  $f^{-1}$ .

- 15. Using the graph of the function f below, complete the following. If a function value or limit does not exist, write DNE.
  - (a)  $\lim_{x \to -2^+} f(x) =$  \_\_\_\_\_\_ (b)  $\lim_{x \to -2^-} f(x) =$  \_\_\_\_\_ (c)  $\lim_{x \to -2} f(x) =$  \_\_\_\_\_ (d) f(-2) = \_\_\_\_\_ (e) Is *f* right-continuous at -2? \_\_\_\_\_ (f)  $\lim_{x \to 1^-} f(x) =$  \_\_\_\_\_ (g)  $\lim_{x \to 1^+} f(x) =$  \_\_\_\_\_ (h)  $\lim_{x \to 1} f(x) =$  \_\_\_\_\_
    - (i) f(1) =\_\_\_\_\_
    - (j) Is f continuous at 1? \_\_\_\_\_

