MA 113 Calculus I Spring 2014 Exam 4 Wednesday, 7 May 2014

Name: \_\_\_\_\_

Section:

# Last 4 digits of student ID #: \_\_\_\_\_

This exam has ten multiple choice questions (five points each) and five free response questions (ten points each). Additional blank sheets are available if necessary for scratch work. No books or notes may be used. Turn off your cell phones and do not wear ear-plugs during the exam. You may use a calculator, but not one which has symbolic manipulation capabilities.

# On the multiple choice problems:

- Select your answer by placing an X in the appropriate square of the multiple choice answer box on the front page of the exam.
- Carefully check your answers. No credit will be given for answers other than those indicated on the *multiple choice answer* box.

# On the free response problems:

- Clearly indicate your answer and the reasoning used to arrive at that answer (unsupported answers may not receive credit),
- Give exact answers, rather than decimal approximations to the answer (unless otherwise stated).

Each free response question is followed by space to write your answer. Please write your solutions neatly in the space below the question.

# Multiple Choice Answers

Question					
1	A	В	С	D	Е
2	A	В	С	D	Е
3	A	В	С	D	Е
4	А	В	С	D	Е
5	А	В	С	D	Е
6	A	В	С	D	Е
7	A	В	С	D	Е
8	A	В	С	D	Е
9	А	В	С	D	Е
10	А	В	С	D	Е

# Exam Scores

Question	Score	Total
MC		50
11		10
12		10
13		10
14		10
15		10
Total		100

- 1. Find the linearization of  $f(x) = e^{x^2 2x}$  at x = 2.
  - (A) L(x) = 2x 3
  - (B) L(x) = 2x 5
  - (C) L(x) = 2x 1
  - (D) L(x) = -2x + 5
  - (E) L(x) = -2x + 3

- 2. A particle moves with constant acceleration of 5 meters/second<sup>2</sup>. If the velocity at time t = 4 seconds is 3 meters/second, find the velocity at time t = 2 seconds.
  - (A) -10 meters/second
  - (B) -7 meters/second
  - (C) -2 meters/second
  - (D) 10 meters/second
  - (E) 13 meters/second

3. Find A so that the function  $f(x) = \begin{cases} e^x, & x > 1 \\ Ax, & x \le 1 \end{cases}$  is continuous for all x.

- (A) A = -1
- (B) A = 0
- (C) A = 1/e
- (D) A = 1
- (E) A = e

4. If f(x) = 3x + 1 and g is the inverse function, find the derivative g'(x).

(A) 
$$g'(x) = 1/(3x+1)$$

- (B) g'(x) = 1/3
- (C) g'(x) = -1/3
- (D) g'(x) = 3
- (E) g'(x) = -3

Record the correct answer to the following problems on the front page of this exam.

- 5. Suppose f(1) = 2 and f'(1) = 3. Set  $g(x) = f(x^2)$  and find g'(1).
  - (A) 2
  - (B) 3
  - (C) 4
  - (D) 5
  - (E) 6

6. Suppose  $f(x) = \frac{x^2 + Ax + 1}{\sin(x - 1)}$ . There is exactly one value of A for which we can apply L'Hopital's rule to compute the limit  $L = \lim_{x \to 1} f(x)$ . Find this value of A and compute the limit.

- (A) L = -2
- (B) L = -1
- (C) L = 0
- (D) L = 1
- (E) L = 2


- 7. Find the value of c for which the function  $f(x) = x^3 + 3x^2 + cx + 2014$  has a critical point, but does not have a local maximum or minimum.
  - (A) c = 0
  - (B) c = 1
  - (C) c = 2
  - (D) c = 3
  - (E) c = 4

8. Find the absolute minimum value of the function  $f(x) = \sqrt{|x|}$  on the interval [-1, 2].

- (A)  $-\sqrt{2}$
- (B) -1
- (C) 0
- (D) 1
- (E)  $\sqrt{2}$

- 9. Consider the curve defined by the equation  $x^2 + 2y^2 = 9$ . Find dy/dx at the point where x = 1 and y > 0.
  - (A) -1/4
  - (B) -1/2
  - (C) 0
  - (D) 1/4
  - (E) 1/2

10. The figure below gives the graphs of three functions, g, h, and k. These are the graph of a function f and its first two derivatives, f' and f''. Determine which is f, f', and f''.




11. We construct a rectangular pen. One pair of parallel sides are made of wooden fence that costs \$10 per meter and the other pair of opposite sides are built of wire fence that costs \$5 per meter. If the area of the pen is to be 200 square meters, give the cost of the pen with least cost. Use calculus to explain why you know you have found the least expensive pen.

12. Evaluate the following integrals. Show your work.

(a) 
$$\int_{1}^{4} \frac{1}{(1+x)^{2}} dx$$
  
(b) 
$$\int_{1}^{2} x \cos(\frac{\pi}{2}x^{2}) dx$$
  
(c) 
$$\int x\sqrt{x+3} dx$$

- 13. A population P is growing at a rate of 2% per year.
  - (a) If P(t) is the population at time t years, express P' in terms of P.
  - (b) Suppose that the population at time t = 1 years is 100. Find the population P(t) for all times t.
  - (c) Find the population at time t = 10 years. Round your answer to the nearest whole number.

- 14. (a) Sketch the graphs of  $f(x) = x^2 2x 3$  and g(x) = x + 1 on the same axes and label the graphs.
  - (b) Express the area of the region enclosed by the graphs as an integral.
  - (c) Find the area of the region enclosed by these graphs.



15. Let 
$$F(x) = \int_0^x e^{-t^2} dt$$
.

- (a) State part 2 of the Fundamental Theorem of Calculus.
- (b) Use part 2 of the Fundamental Theorem of Calculus to determine the derivative of F.
- (c) Find the largest open interval on which F is concave down.