## Exam 2

Name: \_


Section: \_

Do not remove this answer page — you will return the whole exam. You will be allowed two hours to complete this test. You are allowed to use notes on a single piece of 8.5" x 11" paper, front and back, including formulas and theorems. You are required to turn this page in with your exam. You may use a graphing calculator during the exam, but NO calculator with a Computer Algebra System (CAS). Absolutely no communication device use during the exam is allowed.

The exam consists of 10 multiple choice questions and 5 free response questions. Record your answers to the multiple choice questions on this page by filling in the circle corresponding to the correct answer.

Show <u>all work</u> to receive full credit on the free response problems. It will also help you check your answers to show work on multiple choice problems.

## Multiple Choice Questions



Multiple Choice						Total
Choice	11	12	13	14	15	Score
50	10	10	10	10	10	100

## Multiple Choice Questions

1. (5 points) Give the first four terms of the sequence  $\{a_1, a_2, a_3, a_4\}$  defined by

$$a_n = \frac{2n}{\sqrt{n^2 + 1}}.$$

- $\begin{aligned} \text{A.} & \left\{\frac{2}{\sqrt{2}}, \frac{4}{\sqrt{5}}, \frac{6}{\sqrt{10}}, \frac{8}{\sqrt{17}}\right\} \\ \text{B.} & \left\{\frac{2}{2}, \frac{4}{3}, \frac{6}{4}, \frac{8}{5}\right\} \\ \text{C.} & \left\{\frac{2}{\sqrt{3}}, \frac{3}{\sqrt{5}}, \frac{4}{\sqrt{7}}, \frac{5}{\sqrt{9}}\right\} \\ \text{D.} & \left\{\frac{2}{\sqrt{2}}, \frac{4}{\sqrt{5}}, \frac{8}{\sqrt{10}}, \frac{16}{\sqrt{17}}\right\} \\ \text{E.} & \left\{\frac{2}{\sqrt{3}}, \frac{4}{\sqrt{5}}, \frac{8}{\sqrt{7}}, \frac{16}{\sqrt{19}}\right\} \end{aligned}$
- 2. (5 points) Find the **ratio** of the geometric sequence

$$-4, \frac{8}{3}, \frac{-16}{9}, \frac{32}{27}, \dots$$

- A.  $r = \frac{2}{3}$ B.  $r = -\frac{3}{2}$ C.  $r = \frac{3}{2}$ D.  $r = -\frac{2}{3}$ E. r = 0
- 3. (5 points) Does the series  $\sum_{n=1}^{\infty} \frac{\sqrt{n}}{n+20}$  converge or diverge?
  - A. Diverges because  $\lim_{n \to \infty} \frac{\sqrt{n}}{n+20} \neq 0$ .
  - B. Diverges by the limit comparison test to  $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$ .
  - C. Diverges because it is geometric and |r| > 1.
  - D. Converges by the limit comparison test to  $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$ .
  - E. Converges because  $\lim_{n \to \infty} \frac{\sqrt{n}}{n+20} = 0.$

4. (5 points) Find the sum of the series  $\sum_{n=1}^{\infty} \frac{1}{5^n} + \left(\frac{3}{5}\right)^n$ 

- A. 4
- B.  $\frac{15}{4}$
- C. 2
- D.  $\frac{7}{4}$
- E. This series diverges.

5. (5 points) Which of the following series converge?

A. 
$$\sum_{n=3}^{\infty} \frac{n+5}{\sqrt{n^2-6}}$$
  
B. 
$$\sum_{n=1}^{\infty} \frac{\cos(n\pi)}{100}$$
  
C. 
$$\sum_{n=1}^{\infty} \frac{4^n}{1+3^n}$$
  
D. 
$$\sum_{n=1}^{\infty} \frac{10}{n^{2/3}}$$

E. None of the given series converge.

6. (5 points) What would you compare  $\sum_{n=1}^{\infty} \frac{n-3}{\sqrt{n^4+5n}}$  to for a conclusive limit comparison test?

A. 
$$\sum_{n=1}^{\infty} \frac{1}{n^4}$$
  
B. 
$$\sum_{n=1}^{\infty} \frac{1}{n^3}$$
  
C. 
$$\sum_{n=1}^{\infty} \frac{1}{n^2}$$
  
D. 
$$\sum_{n=1}^{\infty} \frac{1}{n}$$

E. The limit comparison test can't be used to understand convergence for this series.

7. (5 points) Does the series 
$$\sum_{n=1}^{\infty} \frac{2^n}{n!}$$
 converge or diverge?

- A. Converges by the ratio test because  $\lim_{n \to \infty} \frac{2}{n+1} = 0.$
- B. Diverges by the divergence test because  $\lim_{n \to \infty} \frac{(-2)^n}{n!} = \infty$ .
- C. Converges because the series is telescoping.
- D. Converges by the divergence test because  $\lim_{n \to \infty} \frac{(-2)^n}{n!} = 0$ . E. Diverges by the ratio test because  $\lim_{n \to \infty} \frac{2^{n+1}}{n+1} = \infty$ .
- 8. (5 points) Find the smallest value of N so that  $S_N$  approximates  $\sum_{n=1}^{\infty} \frac{(-1)^n}{n^3 + 5}$  to within an error of at most .001.
  - A. N = 5B. N = 9C. N = 20D. N = 21E. N = 49

9. (5 points) What is the interval of convergence of the power series  $\sum_{n=1}^{\infty} \frac{(x-2)^n}{(n+4)^n}?$ 

A. {2} B. [-3,7)C. [-3,7]D.  $[\frac{9}{5},\frac{11}{5}]$ E.  $(-\infty,\infty)$ 

10. (5 points) Which power series represents the function  $x^5 \cos(3x)$  on the interval  $(-\infty, \infty)$ ?

A. 
$$\sum_{n=0}^{\infty} \frac{(-1)^n x^{2n+5}}{(2n+1)!}$$
  
B. 
$$\sum_{n=0}^{\infty} \frac{(-1)^n 3^{2n} x^{2n+5}}{(2n)!}$$
  
C. 
$$\sum_{n=0}^{\infty} (-3)^n x^{n+5}$$
  
D. 
$$\sum_{n=0}^{\infty} \frac{(-3)^n x^{2n-5}}{(2n)!}$$
  
E. 
$$\sum_{n=0}^{\infty} \frac{3^n x^{n+5}}{n!}$$

## Free Response Questions

11. Decide if the series converges or diverges. Clearly state which test(s) are used.

(a) (5 points) 
$$\sum_{n=9}^{\infty} \frac{(-1)^n}{\sqrt[3]{n-7}}$$

(b) (5 points) 
$$\sum_{n=1}^{\infty} \frac{1}{\sqrt[3]{n+7}}$$

12. Are the series absolutely convergent, conditionally convergent or divergent? Justify your answers.

(a) (5 points) 
$$\sum_{n=1}^{\infty} \frac{(-1)^n 2n}{5n+7}$$

(b) (5 points) 
$$\sum_{n=1}^{\infty} \frac{(-2)^n}{3^n + n}$$

13. (10 points) Find the interval of convergence for the series. Hint: Show clearly where you test the endpoints of your interval.

$$\sum_{n=1}^{\infty} \frac{(x-3)^n}{n6^n}$$

14. (a) (5 points) Write a Taylor series centered at x = 0 for the function  $f(x) = \frac{1}{1+5x^3}$ .

(b) (5 points) Use your answer in (a) to help find the series for  $g(x) = \frac{x^2}{(1+5x^3)^2}$  centered at x = 0. Hint: First compute f'(x).

15. (a) (4 points) Write the Maclaurin series, i.e., the Taylor Series centered at x = 0, for  $f(x) = \cos(5x)$ .

(b) (6 points) Write the first four terms of the Taylor series centered at x = 3 for g(x), given that g(3) = 10, g'(3) = 2, g''(3) = 7, and g'''(3) = -1.