MA 114 — Calculus II Fall 2014 Sections 5 – 8 and 401, 402

Exam 4

Dec. 16, 2014

Name: _____

Section:

Last 4 digits of student ID #: _____

- No books or notes may be used.
- Turn off all your electronic devices and do not wear ear-plugs during the exam.
- You may use a calculator, but not one which has symbolic manipulation capabilities or a QWERTY keyboard.
- Additional blank sheets for scratch work are available upon request.
- Multiple Choice Questions: Record your answers on the right of this cover page by marking the box corresponding to the correct answer.
- Free Response Questions: Show all your work on the page of the problem. Clearly indicate your answer and the reasoning used to arrive at that answer.

Multiple Choice Answers

| Question | | | | | |
|----------|---|---|---|---|---|
| 1 | А | В | С | D | Е |
| 2 | А | В | С | D | Е |
| 3 | А | В | С | D | Е |
| 4 | А | В | С | D | Е |

Exam Scores

| Question | Score | Total |
|----------|-------|-------|
| MC | | 20 |
| 5 | | 17 |
| 6 | | 15 |
| 7 | | 15 |
| 8 | | 18 |
| 9 | | 15 |
| Total | | 100 |

Unsupported answers for the free response questions may not receive credit!

Record the correct answer to the following problems on the front page of this exam.

1. What conclusion can we draw about the convergence of $\sum_{n=1}^{\infty} \frac{2n-1}{2n^2}$ if we use the limit

comparison test with the series
$$\sum_{n=1}^{\infty} \frac{1}{n}$$
?

- A. The series converges absolutely.
- B. The series converges conditionally.
- C. The series diverges.
- D. The series converges for n > 1 and diverges for n < 1.
- E. The test is inconclusive.
- 2. Which of the following is the general solution of the differential equation

$$y' + \frac{3}{2+x}y = \frac{\sin(x)}{(2+x)^5}, \quad x > 0.$$

•

A.
$$y = \int \frac{\sin(x)}{(2+x)^5} dx + \frac{C}{(2+x)^3}$$
.
B. $y = \frac{1}{(2+x)^3} \int \frac{\sin(x)}{(2+x)^2} dx + \frac{C}{(2+x)^3}$

C.
$$y = (2+x)^3 \int \frac{\sin(x)}{(2+x)^2} dx + C(2+x)^3.$$

D.
$$y = -\frac{\cos(x)}{(2+x)^4} + \frac{C}{(2+x)^3}$$
.

E.
$$y = (2+x)^3 \int \frac{\sin(x)}{(2+x)^5} dx + C(2+x)^3.$$

3. Which of the following integrals converge?

i.
$$\int_{-1}^{1} \frac{1}{x^2 + 1} dx$$

ii.
$$\int_{1}^{\infty} \frac{1}{e^x} dx$$

iii.
$$\int_{0}^{1} \frac{1}{x^{3/2}} dx$$

- A. Only (i).
- B. Only (iii).
- C. (i) and (ii).
- D. (i) and (iii).
- E. (ii) and (iii).
- 4. Which of the following is the Taylor polynomial of degree 3 for

$$f(x) = \sin(x)e^x + x$$

centered at c = 0?

A. $2x + x^2 + \frac{1}{3}x^3$. B. $2 + x + x^2$. C. $2x + 2x^2 + x^3$. D. $1 + 3x + 4x^2 - x^3$. E. $x + \frac{1}{2}x^2 - \frac{1}{3}x^3$ 5. Given the curve with parametrization c(t) = (t² - 4, t³ + 6).
(a) Show that the point (-3, 7) is on the parametric curve.

(b) Find the equation for the tangent line to the curve at the point (-3, 7).

(c) Find the arclength for the curve from $0 \le t \le 2$.

6. (a) Use calculus to compute the integral $\int \tan^3(x) \sec^4(x) dx$.

(b) Use calculus to compute the integral $\int \frac{x^3}{x^2 - 4} dx$.

7. Below is a graph of

the limaçon curve $r = \frac{3}{2} - \sin(\theta)$ and the circle $r = 2\sin(\theta)$ for θ in $[0, 2\pi]$.

(a) Identify the polar coordinates of the two points of intersection.



(b) Find the rectangular coordinates of the two intersection points.

(c) Set up the integral for computing the area inside the circle but outside of the limaçon. Do not evaluate the integral!

8. Determine the radius and interval of convergence for the power series

$$\sum_{n=2}^{\infty} \frac{(2x)^n}{n^2 + n}.$$

State the tests you use and verify that all assumptions are satisfied.

9. (a) Sketch the region inside the circle $x^2 + y^2 = 4$, above the *x*-axis, and below the line $y = \sqrt{3}x$.

(b) Find the volume of the solid obtained by rotating the above region about the y-axis.